Index

| Wood Coatings | |
|---|-----|
| NAA - Introduction to our Wood Coatings Range | 162 |
| Valresa woodcoatings - Pre catalysed products | 163 |
| Fujichem woodcoatings - Acid cured products | 164 |
| ICA woodcoatings - Polyurethane & waterborne products | 165 |









NAA Woodcoatings Division

Naa have been distributing woodcoatings since 1980, in that time naa has built up a strong and successful catalogue of products that ensure our customers get what they need to compete in the ever changing world of wood.

In September 2014 we invested in a new colour laboratory and installed some of the sharpest colour matching machines to provide our customers with a fast and reliable service. Today we have built up a colour bank of several thousand colour matches of leading colour designs and ranges.

Our Product range is

- Clear Pre-cat basecoats
- Clear Pre-cat lacquers
- Pigmented Pre-cat products
- High build Clear Acid Catalyst products
- Compliant Acid Catalyst products
- Pigmented Acid-Catalyst products
- Polyurethane Clear Basecoats and Lacquers
- Pigmented Polyurethanes products
- Waterbased clear products
- Pigmented waterbased products
- UV products
- Stains
- Thinners

For further inquires please contact our Head of woodcoatings division:

David Farrelly **087 652 6489** or email: <u>david@naa.ie</u>











vairesa

Since 1965 Valresa is specialized in development, manufacturing and commercialization of wood coatings. During this time we have worked over all available technologies for covering and we have presented it to more than 6,000 customers from different parts of the world. This has carried us to have the widest coatings catalogue of the market.

Different technologies for wood coatings such as Pre-catalysed, polyurethane, polyester, water and ultraviolet dry have been applied in the different wood products markets, achieving the most adequate coating for each wood product type and application process.

Our customer and materials diversity to paint in different parts of the world and permanent search of the best technology for coating different wood items, guarantees that our paint are giving value and superior quality finish.

| Product | Description | Gloss | Technical Qualities | Can Size |
|--------------------------------------|---------------------------------|---------------|--|-------------|
| 210011101 | 0011101 PC Basecoat | | High solids base Good Hiding power Fas dry & transparent | 20L |
| 2200011101 | PC Clear Topcoat | 10, 20, 30 | High quality Fast drying Transparent topcoats | 20L |
| 210103101 White PC Primer | | N/A | High build Fast Drying Excellent Sanding qualities | 20L |
| 220102101 White PC Topcoat | | 10, 20, 30 | Fast drying Super Smooth pigmented topcoat | 20L |
| 510108105 Mixing thinner Solvent 108 | | N/A | Pure thinner for PC & Acid Cured Lacquers | 200L |
| 540470105 | Cleaning thinner Solvent 470 | N/A | Pure cleaning thinner for PC & Acid Cured Lacquers | 200L |
| 520201115 | General PC thinner | N/A | General use thinner | 25L |







A Century of Innovation in Coatings

The success of FCS during the past 100 years is attributable to the dedication of our staff and their ability to listen and response to our customers, developing bespoke solutions that meet and surpass the Specifications and environmental requirements of our challenging industry.

Our fast moving market place requires innovative solutions, and we draw on our experience in many sectors to enable us to accept and meet these daily challenges there by keeping us at the forefront of coatings technology.



When you trust and ask FCS to supply your coating technology we take it as our responsibility to offer a total solution to your finishing requirements and believe this is a vital component of our service and one that leads to ultimate customer satisfaction

We understand the demands of the coating industry and realise that, in today's manufacturing environment, a partnership is the ultimate way to succeed and offer customer satisfaction.

| Product | Description | Gloss | Technical Qualities | Catalyst | Mix | Can Size |
|---|-----------------------------------|---------------------------------|--|----------|-----------------|-------------|
| 40:452 Clear Acid 5,10,20 Catalyst Lacquer & 35 | | 1 ' ' | High quality AC / Excellent clarity Good sanding properties | 40:AH-11 | 10:01 | 5L 20L |
| 41 .55/A | Clear Acid Catalyst / Basecoat | N/A | Fast drying / High build Excellent sanding properties | 40:AH-19 | 10:01 | 20L |
| 42:28.102/A | AC White Primer | N/A | Excellent coverage Used in combination with 40:528 Range the system will meet BS6250 severe rating | 40:AH-19 | 80:01 | 5L 20L |
| 40:528 | AC White Topcoat | 10,20 & 35 | High quality pigmented topcoat Added flexibility for use in kitchens & joinery | 40:AH-19 | 10:01 | 5L 20L |
| | 7 | The above ba | se can be tinted to any colour | | | |
| 40:494 AC Topcoat 10,25,50 & Fast drying high solids lacquer formulated to meet BS6250 severe with excellent build & flow | | | | | Refer to TDS | 5L 20L |
| 09:09 | Thinner | | Slow drying thinner for AC & PC paints & lacquers | N/A | N/A | 5L 25L |
| 01.78 Thinner | | Standard Thinner for PC lacquer | N/A | N/A | 5L 25L | |
| 01.69 | Acetone | | Acetone thinner | N/A | N/A | 25L |
| 01.423 | Gun wash | | Re-cycled Gun wash | N/A | N/A | 25L |





ICA SpA is an Italian company founded in Civitanova Marche (Macerata) in 1971 and specializing in the formulation, manufacture and marketing of special coatings for wood.



Our brand products are able to meet the needs of all those operating in the woodworking sector (from interior design to carpentry, boatyards to external structures, frames and shutters to garden furniture, wooden flooring to musical instruments).

The range of ICA products also encompasses specific solutions for wooden flooring, glass and plastic materials.

| Product | Description | Gloss | Technical Qualities | Catalyst | Mix | Can Size |
|------------------------------------|--------------------------------|------------|--|----------|-------|-------------|
| FP285-025 | White PU Primer | N/A | High solids product suitable for MDF & solid timber formulated to achieve high build and excellent durability | C268 | 02:01 | 5kg 25kg |
| OP400IT | White PU Topcoat | 10,25,40 | Soft feel with hard durable surface Good flow and excellent clarity | C266 | 02:01 | 5kg 25kg |
| OP383 | Clear PU Topcoat | 5,25 | Clear version of PU base above for dark colours | C266 | 02:01 | 5kg 25kg |
| OP263 | Clear high build PU Lacquer | 10,25 | High solids clear PU with excellent clarity and good sanding properties | C266 | 02:01 | 5kg 25kg |
| OAC363 | Clear Acrylic Lacquer | 5,10,30 | Non-yellowing product Excellent clarity and fast drying properties Gives a natural low build feel | C200 | 10:01 | 5kg 25kg |
| FP456FR | Flame retardant PU basecoat | N/A | Polyurethane flame retardant transparent base coat. Specially studied for flame retardant painting cycles of wooden items (furniture, panelling, turned pieces, false ceilings, etc.). | C457 | 01:01 | 5kg 25kg |
| OP457FR | Flame retardant PU Lacquer | 25 | Finishing component of the flame retardant cycle FRT. Full certification | C457 | 01:01 | 5kg 25kg |
| | 7 | he above o | ycle is available pigmented version also | | | |
| FA530 Waterbase clear basecoat N/A | | N/A | Excellent clarity Perfect sanding qualities- give a high build finish | | | 5kg 25kg |
| AO786 | Waterbase clear lacquer | 10 & 30 | Super smooth finish Excellent clarity Fast drying | | | 5kg 25kg |





| Product | Description | Technical Qualities | Catalyst | Mix | Can Size |
|---------------------------------|-----------------------------|--|----------|--------------------------|-------------|
| FA45B | Waterbased clear Lacquer | White water based bicomponent sealer/base coat for indoors and outdoors, with high covering, elasticity and chemical resistance, easily sandable with sanding machines | CA500 | See TDS for advice | 5kg 25kg |
| AOB510 Waterbased White Topcoat | | for top coats on furniture and | | See TDS for advice | 5L 25L |
| D1010 PU Thinner | | Suitable for mixing PU and PC paints | | | 5L 25L |
| D1015 PU Thinner | | Slow drying PU thinner | | | 5L 25L |
| D1016 Acetone | | Acetone Thinner | | | 25L |
| D1053 Acrylic Thinner | | Suitable for Acrylic paints | | | 25L |
| D1059 | Waterbased Thinner | Suitable for mixing with WB paints | | | 25L |



NAA Woodcoatings Division

Distributors of Superior Quality Woodcoatings









NAA Woodcoatings Division

Distributors of Superior Quality Woodcoatings



Every colour available in Pre-cat, Acid Cured, PU, Waterbased, fire retardent & UV



RUBIO MONOCOAT OIL: WOOD PROTECTION BASED ON MOLECULAR BONDING TECHNOLOGY Rubio Monocoat is the reference when it comes to high quality and environmentally friendly wood protection.





Colour Swatch



| Code Product | | Description | Characterisitics | | |
|-----------------|-----|-------------------------|---|--|--|
| INTMXDCOLS -KIT | KIT | Rubio Colours mixed Kit | 40 mixed colours as per swatch, 14 stains (PreColours Easy) 2 reactive agents | | |

Colour Wheel for Non-reactive pre-colours





Products

| Code | Product | Description | Characteristics | Can Size | | |
|--|-----------------------------------|----------------------------|---|----------|--|--|
| | Reactive Agents | | | | | |
| RSRS-100 | RS-100 RMC Fumed | | Water Based Grey Pre- Color "Ageing Effect " (sample bottle) | 100ML | | |
| RSRS-1000 | RMC Fumed | Chemical Reactive Agent | Water Based Grey Pre- Color "Ageing Effect " | 1LTR | | |
| RGFRS-100 | RMC Smoked | Chemical Reactive Agent | Water Based Brown Pre-Color "Smoking Effect" (sample bottle) | 100ML | | |
| RGFRS-1000 | RMC Smoked | Chemical Reactive Agent | Water Based Brown Pre-Color "Smoking Effect" | 1LTR | | |
| | • | Non reactive (| Coloured Stain | | | |
| PCEIG-2500 | RMC Precolor Easy Intense Grey | Coloured Stain | Water Based Precolor Requires Oil Finish With Rmc Oil Plus 2C | 2.5LTR | | |
| PCEMG-2500 | RMC Precolor Easy Monsoon Grey | Coloured Stain | Water Based Precolor Requires Oil Finish With Rmc Oil Plus 2C | 2.5LTR | | |
| PCENW-2500 | RMC Precolor Easy Nordic White | Coloured Stain | Water Based Precolor Requires Oil Finish With Rmc Oil Plus 2C | 2.5LTR | | |
| | | Reactive H | ardwax Oil | | | |
| PBO2CIB-1300 RMC Oil Plus 2C Dry Black | | Coloured Hardwax Oil | One Coat Voc Free Quick Drying Finishing Oil Food safe | 1.3LTR | | |
| PBO2CIW-1300 RMC Oil Plus 2C Dry White | | Coloured Hardwax Oil | One Coat Voc Free Quick Drying Finishing Oil Food safe | 1.3LTR | | |
| PBO2CIW-350 RMC Oil Plus 2C Dry White | | Coloured Hardwax Oil | One Coat Voc Free Quick Drying Finishing Oil Food safe | 350ML | | |
| PBO2CSO5-1300 RMC Oil Plus 2C Dry 5% Smoke | | Coloured Hardwax Oil | One Coat Voc Free Quick Drying Finishing Oil Food safe | 1.3LTR | | |
| PO21C-350 RMC Oil Plus 2C Dry Pure | | Coloured Hardwax Oil | One Coat Voc Free Quick Drying Finishing Oil Food safe | 350ML | | |
| PO2CI - 1300 | RMC Oil Plus 2C Dry Pure | Coloured Hardwax Oil | One Coat Voc Free Quick Drying Finishing Oil Food safe | 1.3LTR | | |
| Maintenance Oil, VOC Free / Food Safe | | | | | | |
| UMOP-500 | RMC Surface Care | Cleaning Oil | Ready To Use Cleaning Soap Neutral Ph. (Alkaline Soaps Will Damage The Oil Finish) | 500ML | | |
| ERSI-500 | ECO Refresh Spray | Refreshing Agent | Ready To Use Refreshing Agent For Enhancing the Lustre Of The Oil Finish | 500ml | | |





- 5. Respects the natural look and feel of the wood.
- 6. Low consumption: 1 litre reaches for 30 to 50 m2.
- 7. Water resistant.
- 8. Heat resistant up to 100 °C.
- 9. Easy to maintain.
- 10. Rubio Monocoat Oil Plus provides the surface with a durable protection!



